	Ti.Pi.Ci. S.a.s.	Revision nr. 11 Dated 29/11/2022
159641-100745 - CAT. per HYDROGUARD H0		Printed on 29/11/2022
	•	Page n. 1/13
		Replaced revision:10 (Dated: 12/05/2021)
	Safety Data Sheet	
According to	o Annex II to REACH - Regulation 2020/878 and to Annex II to	o UK REACH
SECTION 1. Identification of t	he substance/mixture and of the company	//undertaking
1.1. Product identifier	450044 400745	
Code: Product name	159641-100745 CAT. per HYDROGUARD HG	
	ance or mixture and uses advised against or two components water based paint.	
1.3. Details of the supplier of the safety d Name Full address	lata sheet Ti.Pi.Ci. S.a.s. Via Val Lerone, 21	
District and Country	16011 Arenzano (GE) Italy	
	Tel. +39 010 9111368	
	Fax +39 010 9134188	
e-mail address of the competent person		
responsible for the Safety Data Sheet	laboris@tipici.net	
1.4. Emergency telephone number		Asian da Osma daliana Dana Oisanani XVII
For urgent inquiries refer to	Centro Antiveleni di Bergamo +39800883300 (/ Bergamo)	
	Centro Antiveleni di Firenze +39055/7947819 (Centro Antiveleni di Foggia +39800183459 (Az Centro Antiveleni di Milano +3902/66101029 (C Milano)	. Osp. Univ. Foggia - Foggia)
	Centro Antiveleni di Foggia +39800183459 (Az	. Osp. Univ. Foggia - Foggia) AO Ospedale Niguarda Cà Granda - AV Ospedale Cardarelli - Napoli) V IRCCS Fondazione Maugeri - Pavia) V Policlinico Gemelli - Roma) AV Policlinico Umberto I - Roma)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:		
Eye irritation, category 2	H319	Causes serious eye i
Skin irritation, category 2	H315	Causes skin irritation.
Skin sensitization, category 1B	H317	May cause an allergic

irritation. n. gic skin reaction.

	Ti.Pi.C	i. S.a.s.	Revision nr. 11 Dated 29/11/2022
4.50			Printed on 29/11/2022
155	9641-100/45 - CAT.	per HYDROGUARD HG	Page n. 2/13
			Replaced revision:10 (Dated: 12/05/2021)
2.2. Label elements			
Hazard labelling pursuant to	o EC Regulation 1272/2008 (C	LP) and subsequent amendments and supplen	nents.
Hazard pictograms:			
Signal words:	Warning		
Hazard statements:			
H319 H315 H317	Causes serious eye irritation. Causes skin irritation. May cause an allergic skin re		
Precautionary statements:			
P280 P261 P333+P313 P337+P313 P264 P362+P364	Wear protective gloves / eye Avoid breathing dust / fume / If skin irritation or rash occurs If eye irritation persists: Get r Wash with fresh water thorou Take off contaminated clothin	gas / mist / vapours / spray. s: Get medical advice / attention. nedical advice / attention. ıghly after handling.	
Contains:	Isolated polymer adduct		
2.3. Other hazards			
On the basis of available da	ata, the product does not conta	in any PBT or vPvB in percentage ≥ than 0,1%	
The product does not conta	in substances with endocrine o	disrupting properties in concentration $\geq 0.1\%$.	
SECTION 3. Com	position/information	on ingredients	
3.2. Mixtures			
Contains:			
Identification Isolated polymer adduct	x = Conc. %	Classification (EC) 1272/2008 (CLP)	
INDEX	40 ≤ x < 45	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Se	ens. 1B H317
EC			
CAS -			
REACH Reg. POLIMER	0		

159641-100745 - CAT. per HYDROGUARD HG

Revision nr. 11 Dated 29/11/2022 Printed on 29/11/2022 Page n. 3/13 Replaced revision:10 (Dated: 12/05/2021)

2,4,6- TRIS(DIMETHYLAMINOMETHYL) PHENOL INDEX 603-069-00-0	2≤x< 2,5	Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315
EC 202-013-9		STA Oral: 500 mg/kg
CAS 90-72-2		
REACH Reg. 01-2119560597-27- XXXX SODIUM NITRITE		
INDEX 007-010-00-4	0,1 ≤ x < 0,2	Ox. Sol. 2 H272, Acute Tox. 3 H301, Aquatic Acute 1 H400 M=1
EC 231-555-9		LD50 Oral: 180 mg/kg
CAS 7632-00-0		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for

159641-100745 - CAT. per HYDROGUARD HG

Revision nr. 11 Dated 29/11/2022 Printed on 29/11/2022 Page n. 4/13 Replaced revision:10 (Dated: 12/05/2021)

extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

2,4,6-TRIS(DIMETHYLAMINOMETHYL) PHENOL			
Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,084	mg/l	
Normal value in marine water	0,0084	mg/l	

159641-100745 - CAT. per HYDROGUARD HG

Revision nr. 11 Dated 29/11/2022 Printed on 29/11/2022 Page n. 5/13 Replaced revision:10 (Dated: 12/05/2021)

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Information

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value
Appearance	liquid
Colour	trasparente giallo
Odour	aromatic
Melting point / freezing point	not available
Initial boiling point	0° 0
Flammability	not available
Lower explosive limit	not available
Upper explosive limit	not available
Flash point	> 65 °C

	Ti.Pi.Ci. S.a.s.	Revision nr. 11 Dated 29/11/2022
150641 1007		Printed on 29/11/2022
159641-1007	45 - CAT. per HYDROGUARD HG	Page n. 6/13
		Replaced revision:10 (Dated: 12/05/2021)
Auto-ignition temperature	not available	
Decomposition temperature	not available	
рН	11	
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1,05 (+-) 0,050	
Relative vapour density	not available	
Particle characteristics	not applicable	
9.2. Other information		
9.2.1. Information with regard to physical	hazard classes	
Information not available		
9.2.2. Other safety characteristics		
VOC (Directive 2010/75/EU)	2,72 % - 28,56 g/litre	
VOC (volatile carbon)	1,88 % - 19,72 g/litre	
SECTION 10. Stability and re	eactivity	
0.1. Reactivity		
There are no particular risks of reaction wit	h other substances in normal conditions of use.	
0.2. Chemical stability		
The product is stable in normal conditions of	of use and storage.	
0.3. Possibility of hazardous reactions		
No hazardous reactions are foreseeable in	normal conditions of use and storage.	
I0.4. Conditions to avoid		
None in particular. However the usual prec	autions used for chemical products should be respected.	
0.5. Incompatible materials		
nformation not available		
0.6. Hazardous decomposition product	S	
nformation not available		
SECTION 11. Toxicological i	nformation	

Ti.Pi.Ci. S	.a.s.	Revision nr. 11 Dated 29/11/2022
159641-100745 - CAT. per		Printed on 29/11/2022
159641-100745 - CAT. per	HIDROGUARD HG	Page n. 7/13
		Replaced revision:10 (Dated: 12/05/2021)
In the absence of experimental data for the product itself, heal the criteria specified in the applicable regulation for classificatio	n.	
It is therefore necessary to take into account the concentration effects of exposure to the product.		ection 3, to evaluate the toxicological
11.1. Information on hazard classes as defined in Regulation Metabolism, toxicokinetics, mechanism of action and other information		
Information not available		
Information on likely routes of exposure		
Information not available		
Delayed and immediate effects as well as chronic effects from s	short and long-term exposure	
Information not available		
Interactive effects		
Information not available		
ACUTE TOXICITY		
ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:	Not classified (no significant component) >2000 mg/kg Not classified (no significant component)	
2,4,6-TRIS(DIMETHYLAMINOMETHYL) PHENOL		
LD50 (Dermal): LD50 (Oral): STA (Oral):	 > 1 mg/kg bw male 2169 mg/kg male/female 500 mg/kg estimate from table 3.1.2 of Annex I of the figure used for calculation of the acute toxicity estimate 	ne CLP mate of the mixture)
SODIUM NITRITE		
LD50 (Oral):	180 mg/kg Rat	
SKIN CORROSION / IRRITATION		

Ti.Pi.Ci. S.a.s.	Revision nr. 11 Dated 29/11/2022
159641-100745 - CAT. per HYDROGUARD HG	Printed on 29/11/2022
159041-100745 - CAT. PELETDROGUARD HG	Page n. 8/13
	Replaced revision:10 (Dated: 12/05/2021)
Causes skin irritation	
SERIOUS EYE DAMAGE / IRRITATION	
Causes serious eye irritation	
RESPIRATORY OR SKIN SENSITISATION	
Sensitising for the skin	
GERM CELL MUTAGENICITY	
Does not meet the classification criteria for this hazard class	
CARCINOGENICITY	
Does not meet the classification criteria for this hazard class	
REPRODUCTIVE TOXICITY	
Does not meet the classification criteria for this hazard class	
STOT - SINGLE EXPOSURE	
Does not meet the classification criteria for this hazard class	
STOT - REPEATED EXPOSURE	
Does not meet the classification criteria for this hazard class	
ASPIRATION HAZARD	
Does not meet the classification criteria for this hazard class	

159641-100745 - CAT. per HYDROGUARD HG

Revision nr. 11 Dated 29/11/2022 Printed on 29/11/2022 Page n. 9/13 Replaced revision:10 (Dated: 12/05/2021)

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

SODIUM NITRITE	
LC50 - for Fish	0,79 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	23,31 mg/l/48h Penaeus monodon
EC50 - for Algae / Aquatic Plants	159 mg/l/72h Tetraseimis chui
2,4,6-TRIS(DIMETHYLAMINOMETHYL)	
PHENOL LC50 - for Fish	964 mg/l/96h
12.2. Persistence and degradability	5
SODIUM NITRITE	
Solubility in water	848000 mg/l
Degradability: information not available	
2,4,6-TRIS(DIMETHYLAMINOMETHYL)	
PHENOL	
Solubility in water	> 10000 mg/l
NOT rapidly degradable	
12.3. Bioaccumulative potential	
SODIUM NITRITE	
Partition coefficient: n-octanol/water	-3,7
2,4,6-TRIS(DIMETHYLAMINOMETHYL) PHENOL	
Partition coefficient: n-octanol/water	-0,66
12.4. Mobility in soil	
Information not available	
12.5. Results of PBT and vPvB assessment	
On the basis of available data, the product does not contain any	PRT or vPvB in percentage > than 0.1%
12.6. Endocrine disrupting properties	

159641-100745 - CAT. per HYDROGUARD HG

Revision nr. 11 Dated 29/11/2022 Printed on 29/11/2022 Page n. 10/13 Replaced revision:10 (Dated: 12/05/2021)

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

Ti.Pi.Ci. S.a.s.	Revision nr. 11
	Dated 29/11/2022
159641-100745 - CAT. per HYDROGUARD HG	Printed on 29/11/2022 Page n. 11/13
	Replaced revision:10 (Dated: 12/05/2021)
not applicable	
14.6. Special precautions for user	
not applicable	
14.7. Maritime transport in bulk according to IMO instruments	
Information not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EU: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
Product	
Point 3	
Contained substance	
Point 75	
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors	
not applicable	
Substances in Candidate List (Art. 59 REACH)	
On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.	
Substances subject to authorisation (Annex XIV REACH)	
None	
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:	
None	
Substances subject to the Rotterdam Convention:	
None	
Substances subject to the Stockholm Convention:	

159641-100745 - CAT. per HYDROGUARD HG

Revision nr. 11 Dated 29/11/2022 Printed on 29/11/2022 Page n. 12/13

Replaced revision:10 (Dated: 12/05/2021)

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Sol. 2	Oxidising solid, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train

Ti.Pi.Ci. S.a.s. 159641-100745 - CAT. per HYDROGUARD HG	Revision nr. 11 Dated 29/11/2022
	Printed on 29/11/2022
	Page n. 13/13 Replaced revision:10 (Dated: 12/05/2021)
TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TWA: Time-weighted average exposure limit TWA STEL: Short-term exposure limit VOC: Volatile organic Compounds vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation WGK: Water hazard classes (German).	
SENERAL BIBLIOGRAPHY Regulation (EC) 1907/2006 (REACH) of the European Parliament Regulation (EC) 1272/2008 (CLP) of the European Parliament Regulation (EU) 2020/878 (II Annex of REACH Regulation) Regulation (EU) 2020/878 (II Annex of REACH Regulation) Regulation (EU) 2020/878 (II Annex of REACH Regulation) Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament Regulation (EU) 905/2014 (VI Atp. CLP) of the European Parliament Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 1. Regulation (EU) 2016/1179 (IX Atp. CLP) of the European Parliament 2. Regulation (EU) 2016/1179 (IX Atp. CLP) 3. Regulation (EU) 2016/1179 (IX Atp. CLP) 4. Regulation (EU) 2017/776 (X Atp. CLP) 5. Regulation (EU) 2018/669 (XI Atp. CLP) 5. Regulation (EU) 2018/649 (XII Atp. CLP) 6. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP) 7. Regulation (EU) 2019/1148 8. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP) 9. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP) 1. Delegated Regulation (UE) 2021/843 (XVII Atp. CLP) 1. Delegated Regulation (UE) 2022/643 (XVI Atp. CLP) 2. Delegated Regulation (UE) 2022/643 (XVII Atp. CLP) 2. Delegated Regulation (UE) 2022/643 (XVII Atp. CLP) 2. Delegated Regulation (UE) 2022/643 (XVII Atp. CLP) 3. Delegated Regulation (UE) 2022/643 (XVII Atp. CLP) 4. Merck Index 10th Edition 4. Harding Chemical Safety 1. NRS - Fiche Toxicologique (toxicological sheet) Patty - Industrial Hygiene and Toxicology	

- IFA GESTIS website

- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified: 02 / 03 / 04 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.